Printing date 01.02.2017 Version number 1 Application 29.04.2013

1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name: <u>ALUMINIUM NITRATE SOLUTION</u>

• CAS Number: 13473-90-0 • EINECS Number: 236-751-8

· Registration number

Not available. The transition period under the REACH Regulation (Article 23) is not over.

· Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the preparation

Intermediate
Industrial uses

- Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

JINWANG EUROPE

ZI Jean Jaurès

218, Avenue Marie Curie

07800 La Voulte Sur Rhone

France

- · Further information obtainable from: emilie.bertin@jinwang.eu
- Emergency telephone number:

England and Wales: +44 845 4647

Germany: +49 30 192 40 Austria: +43 1 406 43 43 Belgium: +32 70 245 245 Danemark: +45 82 12 12 12 Spain: +34 156 20420 France: +33 140 054 848 Italy: +39 02 6610 1029 Norway: +47 22 59 13 00 Netherlands: +31 30 274 88 88

2 Hazards identification

Sweden: +46 8 33 12 31

- · Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.



GHS07

STOT SE 3 H335 May cause respiratory irritation.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC



C; Corrosive

R35: Causes severe burns.



Xi; Irritant

R37-41: Irritating to respiratory system. Risk of serious damage to eyes.

Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

(Contd. on page 2)

Version number 1 Printing date 01.02.2017 Application 01.02.2017

#### Trade name: ALUMINIUM NITRATE SOLUTION

· Classification system:

(Contd. of page 1)

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- · Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms





GHS05

GHS07

- · Signal word Danger
- · Hazard statements

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

· Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · vPvB: Not applicable.

#### 3 Composition/information on ingredients

- Chemical characterization: Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:			
CAS: 7784-27-2 EINECS: 236-751-8	Aluminium Nitrate Nonahydrate  Xi R36/37/38; → O R8  Ox. Sol. 2, H272; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	/37/38; O R8	
CAS: 7697-37-2 EINECS: 231-714-2	nitric acid □C R35; O R8 Ox. Liq. 3, H272; Skin Corr. 1A, H314	0-5%	
CAS: 7732-18-5 EINECS: 231-791-2	water, distilled, conductivity or of similar purity	63-68%	

<sup>•</sup> Additional information: For the wording of the listed risk phrases refer to section 16.

### 4 First aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 3)

Printing date 01.02.2017 Version number 1 Application 01.02.2017

#### Trade name: ALUMINIUM NITRATE SOLUTION

(Contd. of page 2)

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Do not induce vomiting; call for medical help immediately.

If symptoms persist consult doctor.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### 5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture

Nitrogen oxides (NOx)

Carbon monoxide (CO)

- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Open and handle receptacle with care.

Keep away from heat and direct sunlight.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: Protect from heat.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep container tightly sealed.

Protect from heat and direct sunlight.

· Recommended storage temperature: Storage temperature: Room temperature

(Contd. on page 4)

Printing date 01.02.2017 Version number 1 Application 01.02.2017

Trade name: ALUMINIUM NITRATE SOLUTION

(Contd. of page 3)

· Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

7697-37-2 nitric acid

WEL Short-term value: 2.6 mg/m³, 1 ppm

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.



Suitable respiratory protective device recommended.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection:

Protective work clothing Use protective suit.

Printing date 01.02.2017 Version number 1 Application 01.02.2017

Trade name: ALUMINIUM NITRATE SOLUTION

(Contd. of page 4)

Information on basic physical and c	chemical properties
General Information	r · · · · · · · · · · · · · · · · · · ·
Appearance:	
Form:	Liquid
Colour:	Colourless
Odour:	Acidic
pH-value at 20°C:	< 2
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	110 ℃
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	
Decomposition temperature:	135 ℃
Self-igniting:	Product is not selfigniting.
Danger of explosion:	Not determined.
Vapour pressure at 20 °C:	23 hPa
Density at 20 °C:	$1.3 \text{ g/cm}^3$
Solubility in / Miscibility with	
water at 20 °C:	$400 \ g/l$
Partition coefficient (n-octanol/wate	er): Not determined.
Solvent content:	
Organic solvents:	0.0 %
Water:	66.0 %
VOC (EC)	0.00 %
Solids content:	32.0 %
Other information	No further relevant information available.

### 10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Heat
- · Incompatible materials:

Oxidizing materials

Reducing agents

· Hazardous decomposition products: Nitrogen oxides (NOx)

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values relevant for classification:

Oral LD50 >3000 mg/kg (rat)

(Contd. on page 6)

Printing date 01.02.2017 Version number 1 Application 01.02.2017

Trade name: ALUMINIUM NITRATE SOLUTION

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

#### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Discharge into drains or the environment prohibited. Waste disposal must be in accordance with the Regulations and Orders Prefectural into force. Although empty contaminated packaging, deliver to an approved disposal.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

UN3264
3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID)
CORROSIVE ĹIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID)

(Contd. on page 7)

Printing date 01.02.2017 Version number 1 Application 01.02.2017

Trade name: ALUMINIUM NITRATE SOLUTION

•	<b>Transport</b>	hazard	class	(es)	)
---	------------------	--------	-------	------	---

· ADR, IMDG, IATA



•	
· Class	8 Corrosive substances.
· Label	8
· Packing group	
· ADR, IMDG, IATA	II
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Warning: Corrosive substances.
· Danger code (Kemler):	80
· EMS Number:	F- $A$ , $S$ - $B$
· Segregation groups	Acids
· Transport in bulk according to Annex	x II of
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	IL
· Transport category	2
· Tunnel restriction code	$\stackrel{ ext{-}}{E}$
· UN "Model Regulation":	UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIO N.O.S. (NITRIC ACID), 8, II

### 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · National regulations:
- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

- H272 May intensify fire; oxidiser.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- R35 Causes severe burns.
- R36/37/38 Irritating to eyes, respiratory system and skin.
- *R8* Contact with combustible material may cause fire.
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

(Contd. on page 8)

Version number 1 Printing date 01.02.2017 Application 01.02.2017

Trade name: ALUMINIUM NITRATE SOLUTION

IMDG: International Maritime Code for Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent

<sup>· \*</sup> Data compared to the previous version altered.